



SEQUENCE LISTING

<110> ANDO, Yukio  
NAKAMURA, Masaaki  
NAGAHARA, Shunji

<120> PREPARATION FOR FACILITATING SITE-SPECIFIC GENE CONVERSION AND  
PREPARATION FOR GENE THERAPY

<130> 5094-0101PUS1

<140> US 10/527,597

<141> 2005-03-14

<150> PCT/JP2003/011962

<151> 2003-09-19

<150> JP 2002-274926

<151> 2002-09-20

<160> 13

<170> PatentIn Ver. 2.1

<210> 1

<211> 68

<212> DNA

<213> Artificial Sequence

<220>

<223> RNA/DNA chimeric oligonucleotide

<220>

<221> misc\_feature

<222> (29)..(39)

<223> 2'-O-methyl-RNA

<220>

<221> misc\_feature

<222> (45)..(54)

<223> 2'-O-methyl-RNA

<400> 1

atcaatgtgg ccatgcatgt gttcattttu gaacacaugc atggccacau ugaugcgcgt 60  
tttcgcgc 68

<210> 2

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> oligonucleotide based on a human TTR gene

<220>

<221> misc\_feature  
 <222> (1)..(3)  
 <223> Phosphorothioate linkage

<220>  
 <221> misc\_feature  
 <222> (23)..(25)  
 <223> Phosphorothioate linkage

<400> 2  
 tgaacacatg catggccaca ttgat

25

<210> 3  
 <211> 45  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> oligonucleotide based on a human TTR gene

<220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> Phosphorothioate linkage

<220>  
 <221> misc\_feature  
 <222> (43)..(45)  
 <223> Phosphorothioate linkage

<400> 3  
 gcagcctttc tgaacacatg catggccaca ttgatggcag gactg

45

<210> 4  
 <211> 74  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> oligonucleotide based on a human TTR gene

<220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> Phosphorothioate linkage

<220>  
 <221> misc\_feature  
 <222> (72)..(74)  
 <223> Phosphorothioate linkage

<400> 4  
 tccaggtgt catcagcagc ctttctgaac acatgcatgg ccacattgat ggcaggactg  
 cctcggacag catc

60  
 74

<210> 5  
 <211> 74  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> oligonucleotide based on a mouse TTR gene  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> Phosphorothioate linkage  
  
 <220>  
 <221> misc\_feature  
 <222> (72)..(74)  
 <223> Phosphorothioate linkage  
  
 <400> 5  
 tcccaggatc cctcagaggt ctttttgaac actttcacag ccacgtctac agcagggctg 60  
 cctcggacag catc 74

<210> 6  
 <211> 74  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> oligonucleotide based on a rabbit TTR gene  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(3)  
 <223> Phosphorothioate linkage  
  
 <220>  
 <221> misc\_feature  
 <222> (72)..(74)  
 <223> Phosphorothioate linkage  
  
 <400> 6  
 tcccagggtc catcagcagc ctttttgaac acgtgcatag acacgtcgac tgcaggactg 60  
 cctcggacgg catc 74

<210> 7  
 <211> 51  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> YKS-384 DNA oligonucleotide based on human TTR gene

<400> 7  
tcagcagcct ttctgaacac atgcatggcc acattgatgg caggactgcc t 51

<210> 8  
<211> 74  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> DNA oligonucleotide used to study the gene conversion rate  
in HepG2 cell

<220>  
<221> misc\_feature  
<222> (1)..(3)  
<223> Phosphorothioate linkage

<220>  
<221> misc\_feature  
<222> (72)..(74)  
<223> Phosphorothioate linkage

<400> 8  
ctcctcagtt gtgagcccat gcagctctcc agactcaatg gttttcctat aagggtgtgaa 60  
agtctggatt aagt 74

<210> 9  
<211> 74  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> DNA oligonucleotide used to study the gene conversion rate  
in HepG2 cell

<220>  
<221> misc\_feature  
<222> (1)..(3)  
<223> Phosphorothioate linkage

<220>  
<221> misc\_feature  
<222> (72)..(74)  
<223> Phosphorothioate linkage

<400> 9  
cttgggattg gtgacgacag ccgtggtgga ataggagcag gggctcagca gggcggcaat 60  
ggtgtagcgg cggg 74

<210> 10  
<211> 74  
<212> DNA  
<213> Artificial Sequence

```

<220>
<223> DNA oligonucleotide used to study the conversion rate
      of gene mutation associated with Fabry's disease

<220>
<221> misc_feature
<222> (1)..(3)
<223> Phosphorothioate linkage

<220>
<221> misc_feature
<222> (72)..(74)
<223> Phosphorothioate linkage

<400> 10
gcagtcaagg ttgcacatga agcgctccca gtgcagccag cccatggtag gcgtccttgc   60
caatccattg tcca                                                    74

<210> 11
<211> 74
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA oligonucleotide used to study the conversion rate
      of gene mutation associated with Fabry's disease

<220>
<221> misc_feature
<222> (1)..(3)
<223> Phosphorothioate linkage

<220>
<221> misc_feature
<222> (72)..(74)
<223> Phosphorothioate linkage

<400> 11
gccatgatag cccagagggc catctgagtt acttgctgat tccagctgag gccaaagttg   60
ccaatcacta actg                                                    74

<210> 12
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA oligonucleotide for gene conversion based on TTR gene

<400> 12
atcaatgtgg ccgtgcatgt gttca                                                    25

<210> 13
<211> 25

```

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA oligonucleotide for gene conversion based on TTR gene

<400> 13

tgaacacatg cacggccaca ttgat

25